

TERGITOL™ NP-8 Surfactant

Product Information

Chemical Description

Name: Nonylphenol Ethoxylate

Surfactant Type: Nonionic

Benefits

- Excellent detergency
- Outstanding wetting
- Good rinseability

Applications

- Cleaners & detergents
- Paper & textile processing
- Paints & coatings

- Agrochemicals
- Metalworking fluids

Typical Physical Properties

Actives, wt%	100
Cloud Point (1)	43
HLB (2)	12.6
Moles EO	8
Pour Point ⁽³⁾	-6
Appearance	Pale yellow liquid
pH, 5% aq solution	6
Viscosity at 25°C (77°F), cP	220
Density at 20°C (68°F), g/mL	1.057
Flash Pt, Closed Cup, ASTM D93	243°C 470°F

⁽¹⁾ Cloud point: °C, 1 wt% actives aqueous solution

Typical Performance Properties

CMC ⁽⁴⁾	61
Surface Tension ⁽⁵⁾	32
Foam Height ⁽⁶⁾	103/95
Draves 20 sec wetting conc, wt% at 25°C (77°F)	0.06

⁽⁴⁾ Critical Micelle Concentration: ppm at 25°C

Solubility and Compatibility

- Soluble in water
- Soluble in chlorinated solvents, and most polar solvents
- Chemically stable in the presence of dilute acids, bases and salts
- Compatible with soaps, anionic and other nonionic surfactants, and many organic solvents

⁽²⁾ HLB Range: <10 w/o emulsifier, > 10 o/w emulsifier, 10-15 good wetting, 12-15 detergents

⁽³⁾ Pour point: °C

⁽⁵⁾ Surface tension: dynes/cm at 1% actives, 25°C

⁽⁶⁾ Ross-Miles foam height: mm at 0.1 wt% actives, 25°C, initial / 5 mintue

Contact information goes here: North America: 1-800-447-4369 Europe: (+32) 3-450-2240 Asia/Pacific: (+852) 2879 7339 Other areas: 1-989-832-1556 http://www.dow.com/surfactants

NOTICE: No freedom from any patent owned by Seller or others is to be inferred. Because use conditions and applicable laws may differ from one location to another and may change with time, Customer is responsible for determining whether products and the information in this document are appropriate for Customer's use and for ensuring that Customer's workplace and disposal practices are in compliance with applicable laws and other governmental enactments. Seller assumes no obligation or liability for the information in this document. NO WARRANTIES ARE GIVEN; ALL IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE ARE EXPRESSLY EXCLUDED.

