

Technical Data Sheet

DOWSIL™ PRX 308 Dispersion Clear

Features & Benefits

- Silicone dispersion that will cure at room temperature or by heating to form elastomeric film
- Excellent elongation of formed elastomeric film, with non-stick and water repellency performance
- Do not contain hazardous benzene

Composition

- Deoximation room temperature cure silicone dispersions
- Solvent: paraffin hydrocarbon

Typical Properties

Specification Writers: These values are not intended for use in preparing specifications.

Test	Property	Unit	Result
	Appearance		Translucence liquid
	Viscosity	Pa·s	2.7
	Nonvolatile content	%	29.7
	IMDG code		UN-1268
	RT curing ¹		Form elastomeric film
	Properties after curing		
	Specific gravity		1.10
24 hours at room temperature	Crack test		No crack
JIS K6251 ²	Tensile strength	MPa	5.42
JIS K6251	Elongation	%	470
JIS K6253	Hardness (JIS Type A)		64

- 1. 24 hours at room temperature
- 2. JIS: Japanese Industrial Standard

Description

DOWSIL™ PRX 308 Dispersion Clear is a silicone dispersion.

How to Use

- Clean, degrease, and dry the substrate surface before coating.
- It can be coated by dipping, brush or roller.
- Used container, brush, and roller for coating shall be cleaned with solvent immediately after use.

Handling **Precautions**

PRODUCT SAFETY INFORMATION REQUIRED FOR SAFE USE IS NOT INCLUDED IN THIS DOCUMENT. BEFORE HANDLING, READ PRODUCT AND SAFETY DATA SHEETS AND CONTAINER LABELS FOR SAFE USE, PHYSICAL AND HEALTH HAZARD INFORMATION. THE SAFETY DATA SHEET IS AVAILABLE ON THE DOW WEBSITE AT CONSUMER.DOW.COM, OR FROM YOUR DOW SALES APPLICATION ENGINEER, OR DISTRIBUTOR, OR BY CALLING DOW CUSTOMER SERVICE.

Usable Life and Storage

When stored between 0°C and 32°C in the original unopened containers, this product has a usable life of 9 months from the date of production.

Packaging Information

This product is available in 1 kg can and 15 kg cans.

Limitations

This product is neither tested nor represented as suitable for medical or pharmaceutical uses.

Health And Environmental Information

To support customers in their product safety needs, Dow has an extensive Product Stewardship organization and a team of product safety and regulatory compliance specialists available in each area.

For further information, please see our website, consumer.dow.com or consult your local Dow representative.

consumer.dow.com

LIMITED WARRANTY INFORMATION - PLEASE READ CAREFULLY

The information contained herein is offered in good faith and is believed to be accurate. However, because conditions and methods of use of our products are beyond our control, this information should not be used in substitution for customer's tests to ensure that our products are safe, effective, and fully satisfactory for the intended end use. Suggestions of use shall not be taken as inducements to infringe any patent.

Dow's sole warranty is that our products will meet the sales specifications in effect at the time of shipment.

Your exclusive remedy for breach of such warranty is limited to refund of purchase price or replacement of any product shown to be other than as warranted.

TO THE FULLEST EXTENT PERMITTED BY APPLICABLE LAW, DOW SPECIFICALLY DISCLAIMS ANY OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE OR MERCHANTABILITY.

DOW DISCLAIMS LIABILITY FOR ANY INCIDENTAL OR CONSEQUENTIAL DAMAGES.

