

Soft Snow

Face Powder

Formulation 01908



Attributes

- Powdery Feel
- Soft Feel
- Watery Feel
- Unique Transforming Powdery Texture
- Helps to Minimize the Appearance of Lines & Wrinkles

Components

Phase	Order	Ingredient	INCI Name	Wt%	Supplier	Trade Name
A		DOWSIL™ VM-2270 Aerogel Fine Particles	Silica Silylate	7.5		
A		DOWSIL™ 9701 Cosmetic Powder	Dimethicone/Vinyl Dimethicone Crosspolymer (and) Silica	7.5		
B		Glycerin	Glycerin	10		
B		Water	Water	73.5		
B		Water (Aqua) (and) Pentylene Glycol (and) Glycerin & Fructose (and) Urea (and) Citric Acid (and) Sodium Hydroxide (and) Maltose (and) Sodium PCA (and) Sodium Chloride (and) Sodium Lactate (and) Trehalose (and) Allantoin (and) Sodium Hyaluronate (and) Glucose	Water (Aqua) (and) Pentylene Glycol (and) Glycerin & Fructose (and) Urea (and) Citric Acid (and) Sodium Hydroxide (and) Maltose (and) Sodium PCA (and) Sodium Chloride (and) Sodium Lactate (and) Trehalose (and) Allantoin (and) Sodium Hyaluronate (and) Glucose	1		
B		Phenoxyethanol (and) Ethylhexylglycerin	Phenoxyethanol (and) Ethylhexylglycerin	0.5		

Procedure

Step	Process
1	Mix ingredients of phase A together.
2	Mix ingredients of phase B together.
3	Add phase A to a blender type mixer.
4	Add half of phase B to phase A. Mix for 30 sec. at maximum speed (start at min speed and increase to max speed).
5	Add the rest of phase B to phase A. Mix for 30 sec. at maximum speed (start at min speed and increase to max speed).
6	Scrub the blender with a spatula.

Stability

Stable for at least 1 month at 50°C, 3 months at 45°C, 3 months at RT. Passes 10 freeze/thaw cycles.

This suggested formulation is only a representative formulation and it is not a commercialized product. Dow believes that the information and data on which this formulation is based are reliable, but it has not been subjected to extensive testing for performance, efficacy or safety. BEFORE COMMERCIALIZATION, YOU SHOULD THOROUGHLY TEST THE FORMULATION OR ANY VARIATION OF IT TO DETERMINE ITS PERFORMANCE, EFFICACY AND SAFETY. IT IS YOUR RESPONSIBILITY TO OBTAIN ANY NECESSARY GOVERNMENT CLEARANCE, LICENSE OR REGISTRATION. In addition, Dow has not undertaken a comprehensive patent search on the formulation. Suggestions of uses should not be taken as inducements to infringe any particular patent. The information contained in this communication does not constitute an offer, does not give rise to binding obligations, and is subject to change without notice to you. The creation of binding obligations will occur only if an agreement is signed by authorized representatives of Dow and your company. Any reference to competitor materials contained in this communication is not an endorsement of those materials by Dow or an endorsement by the competitor of Dow materials. To the fullest extent permitted by applicable law, Dow disclaims any and all liability with respect to your use or reliance upon the information. DOW DOES NOT MAKE ANY WARRANTY OR REPRESENTATION, EXPRESS OR IMPLIED, WITH RESPECT TO THE UTILITY OR COMPLETENESS OF THE INFORMATION AND DISCLAIMS THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. DOW DISCLAIMS LIABILITY FOR ANY INCIDENTAL OR CONSEQUENTIAL DAMAGES.

®™ Trademark of The Dow Chemical Company ("Dow") or an affiliated company of Dow. © 2018 The Dow Chemical Company. All rights reserved.

30023848

Form No. 27-1839-01 A