

# Lingering Kiss

## Lipstick

Formulation 01904



## Attributes

Long Lasting  
Matte Appearance/Effect  
Easy to Apply  
High Transfer Resistance

## Components

Phase	Order	Ingredient	INCI Name	Wt%	Supplier	Trade Name
A		Beeswax	Beeswax	6		
A		Carnauba Wax	Copernicia Cerifera (Carnauba) Wax	3		
A		Cera Microcristallina	Cera Microcristallina	2		
A		Candelilla Wax	Candelilla Wax	2		
A		Berry Wax	Berry Wax	3		
A		DOWSIL™ SW-8005 C30 Resin Wax	C30-45 Alkyldimethylsilyl Polypropylsilsesquioxane	4		
A		Ozokerite	Ozokerite	4		
B		DOWSIL™ 680 ID Fluid	Polypropylsilsesquioxane (and) Isododecane	5		
B		Dicaprylyl Ether	Dicaprylyl Ether	14		
B		Trimethylolpropane Triisostearate	Trimethylolpropane Triisostearate	5		
B		DOWSIL™ EP-9289 LL Cosmetic Powder	Dimethicone/Vinyl Dimethicone Crosspolymer (and) Lauroyl Lysine	2		
B		Caprylic/Capric Triglyceride	Caprylic/Capric Triglyceride	8		
C		DOWSIL™ FZ-3196 Fluid	Caprylyl Methicone	10		
C		C.I. 45410:2	C.I. 45410:2	24.95		
D		Tocopheryl Acetate	Tocopheryl Acetate	0.05		
D		DOWSIL™ EL-8040 ID Silicone Organic Blend	Isododecane (and) Dimethicone Crosspolymer	7		

# Procedure

Step	Process
1	Heat phase A to 90°C.
2	Add phase B and continue heating. Mix until uniform.
3	Mix phase C ingredients together.
4	Using an homogeniser (E.g. Silverson, Ultraturrax), homogenise.
5	Keep the temperature and add phase C while stirring.
6	Add phase D under stirring and homogenize until uniform.
7	Heat phase B to 90°C with mixing.
8	Pour into lipstick mold and leave to set at 0°C.
9	After 30-45 minutes, remove from lipstick mold and place in lipstick tubes.

## Stability

Stable for at least 5 months at RT and 40°C.

This suggested formulation is only a representative formulation and it is not a commercialized product. Dow believes that the information and data on which this formulation is based are reliable, but it has not been subjected to extensive testing for performance, efficacy or safety. BEFORE COMMERCIALIZATION, YOU SHOULD THOROUGHLY TEST THE FORMULATION OR ANY VARIATION OF IT TO DETERMINE ITS PERFORMANCE, EFFICACY AND SAFETY. IT IS YOUR RESPONSIBILITY TO OBTAIN ANY NECESSARY GOVERNMENT CLEARANCE, LICENSE OR REGISTRATION. In addition, Dow has not undertaken a comprehensive patent search on the formulation. Suggestions of uses should not be taken as inducements to infringe any particular patent. The information contained in this communication does not constitute an offer, does not give rise to binding obligations, and is subject to change without notice to you. The creation of binding obligations will occur only if an agreement is signed by authorized representatives of Dow and your company. Any reference to competitor materials contained in this communication is not an endorsement of those materials by Dow or an endorsement by the competitor of Dow materials. To the fullest extent permitted by applicable law, Dow disclaims any and all liability with respect to your use or reliance upon the information. DOW DOES NOT MAKE ANY WARRANTY OR REPRESENTATION, EXPRESS OR IMPLIED, WITH RESPECT TO THE UTILITY OR COMPLETENESS OF THE INFORMATION AND DISCLAIMS THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. DOW DISCLAIMS LIABILITY FOR ANY INCIDENTAL OR CONSEQUENTIAL DAMAGES.

®™ Trademark of The Dow Chemical Company ("Dow") or an affiliated company of Dow. © 2018 The Dow Chemical Company. All rights reserved.