

# Ice Chai

## Eye Cream

Formulation 02411



### Attributes

- Easy Removable Film
- Lasting Tightening Effect
- Tightening Sensation
- Jelly-like Texture
- Cold Treatment

### Components

Phase	Order	Ingredient	INCI Name	Wt%	Supplier	Trade Name
A		Water	Water	69.1		
A		Acrylates/Beheneth-25 Methacrylate Copolymer	Acrylates/Beheneth-25 Methacrylate Copolymer	5		
A		Polysorbate-20	Polysorbate-20	1		
A		Propanediol	Propanediol	4		
B		Diocanoyl Isosorbide	Diocanoyl Isosorbide	2		
B		DOWSIL™ FA 4002 ID Silicone Acrylate	Isododecane (and) Acrylates/ Polytrimethylsiloxymethacrylate Copolymer	7		
B		XIAMETER™ PMX-200 Silicone Fluid 2 cSt	Dimethicone	5		
B		DOWSIL™ PF-9510 Elastomer Suspension	Dimethicone/Vinyl Dimethicone Crosspolymer (and) C12-14 Pareth-12	3		
C		Xanthan Gum	Xanthan Gum	0.2		
C		Glycerin	Glycerin	1		
D		NEOLONE™ PH 100	Phenoxyethanol	0.83		
D		Caprylyl Glycol	Caprylyl Glycol	0.67		
E		Fragrance	Fragrance	1		
F		Caramel Color	Caramel Color	0.2		
G		Triethanolamine	Triethanolamine	0		

# Procedure

Step	Process
1	Mix ingredients of phase A at 200 rpm.
2	Mix ingredients of phase C together. Add to phase AB. Increase mixing to 800 rpm.
3	Mix ingredients of phase D together. Add to phase ABC with mixing.
4	Add phase B ingredients to phase A in order listed.
5	Add phase E to phase ABCD with mixing.
6	Add phase F to phase ABCDE with mixing.
7	Add TEA (phase G) until pH rises to 6. Increase mixing to 1000 rpm for several minutes.

## Stability

Stability data for this formulation has not been established.

This suggested formulation is only a representative formulation and it is not a commercialized product. Dow believes that the information and data on which this formulation is based are reliable, but it has not been subjected to extensive testing for performance, efficacy or safety. BEFORE COMMERCIALIZATION, YOU SHOULD THOROUGHLY TEST THE FORMULATION OR ANY VARIATION OF IT TO DETERMINE ITS PERFORMANCE, EFFICACY AND SAFETY. IT IS YOUR RESPONSIBILITY TO OBTAIN ANY NECESSARY GOVERNMENT CLEARANCE, LICENSE OR REGISTRATION. In addition, Dow has not undertaken a comprehensive patent search on the formulation. Suggestions of uses should not be taken as inducements to infringe any particular patent. The information contained in this communication does not constitute an offer, does not give rise to binding obligations, and is subject to change without notice to you. The creation of binding obligations will occur only if an agreement is signed by authorized representatives of Dow and your company. Any reference to competitor materials contained in this communication is not an endorsement of those materials by Dow or an endorsement by the competitor of Dow materials. To the fullest extent permitted by applicable law, Dow disclaims any and all liability with respect to your use or reliance upon the information. DOW DOES NOT MAKE ANY WARRANTY OR REPRESENTATION, EXPRESS OR IMPLIED, WITH RESPECT TO THE UTILITY OR COMPLETENESS OF THE INFORMATION AND DISCLAIMS THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. DOW DISCLAIMS LIABILITY FOR ANY INCIDENTAL OR CONSEQUENTIAL DAMAGES.

©™Trademark of The Dow Chemical Company ("Dow") or an affiliated company of Dow. © 2018 The Dow Chemical Company. All rights reserved.