



Technical Data Sheet

XIAMETER™ AFE-0600 Antifoam Emulsion

Silicone antifoam emulsion

Features & Benefits

- Low viscosity
- Excellent shear stability
- Easy to use
- Effective in low dosage
- Compatible in most systems

Composition

- Silicone emulsion

Applications

- Emulsion polymerization process
- Monomer stripping process
- Latex production

Typical Properties

Specification Writers: These values are not intended for use in preparing specifications.

Property	Unit	Result
Appearance		Milky white liquid
Active Content	%	28
Specific Gravity at 25°C (77°F)		1.0
pH at 25°C (77°F)		7.0
Ionic Nature		Non-ionic
Diluent		Water

Description

XIAMETER™ AFE-0600 Antifoam Emulsion has excellent shear resistance, which is required in dilution and pumping processes. Due to its non-ionic nature, it can be used in a variety of systems, such as non-ionic, anionic, cationic surfactant or polymer systems without forming a complex.

UNRESTRICTED – May be shared with anyone

™ Trademark of The Dow Chemical Company ("Dow") or an affiliated company of Dow

XIAMETER™ AFE-0600 Antifoam Emulsion

© 2017 The Dow Chemical Company. All rights reserved.

How To Use

Additional Level

Only 10 to 1,000 parts per million (active) of XIAMETER AFE-0600 Antifoam Emulsion are required in most foaming systems. To determine the optimum concentration, begin with 100 parts per million of XIAMETER AFE-0600 Antifoam Emulsion. The results obtained at this concentration should indicate any needed change in dosage level.

Dilution

XIAMETER AFE-0600 Antifoam Emulsion is easily diluted with water. Ideally, the water temperature should be below 35°C (95°F).

Handling Precautions

PRODUCT SAFETY INFORMATION REQUIRED FOR SAFE USE IS NOT INCLUDED IN THIS DOCUMENT. BEFORE HANDLING, READ PRODUCT AND SAFETY DATA SHEETS AND CONTAINER LABELS FOR SAFE USE, PHYSICAL AND HEALTH HAZARD INFORMATION. THE SAFETY DATA SHEET IS AVAILABLE ON THE DOW WEBSITE AT WWW.CONSUMER.DOW.COM, OR FROM YOUR DOW SALES APPLICATION ENGINEER, OR DISTRIBUTOR, OR BY CALLING DOW CUSTOMER SERVICE.

Usable Life And Storage

Product should be stored at or below 40°C (104°F) in original, unopened containers.

If product separates during storage, re-mix prior to use.

Limitations

This product is neither tested nor represented as suitable for medical or pharmaceutical uses.

Not intended for human injection. Not intended for food use.

Health And Environmental Information

To support customers in their product safety needs, Dow has an extensive Product Stewardship organization and a team of product safety and regulatory compliance specialists available in each area.

For further information, please see our website, www.consumer.dow.com or consult your local Dow representative.

<http://www.xiameter.com>

LIMITED WARRANTY INFORMATION – PLEASE READ CAREFULLY

The information contained herein is offered in good faith and is believed to be accurate. However, because conditions and methods of use of our products are beyond our control, this information should not be used in substitution for customer's tests to ensure that our products are safe, effective, and fully satisfactory for the intended end use. Suggestions of use shall not be taken as inducements to infringe any patent.

Dow's sole warranty is that our products will meet the sales specifications in effect at the time of shipment.

Your exclusive remedy for breach of such warranty is limited to refund of purchase price or replacement of any product shown to be other than as warranted.

TO THE FULLEST EXTENT PERMITTED BY APPLICABLE LAW, DOW SPECIFICALLY DISCLAIMS ANY OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE OR MERCHANTABILITY.

DOW DISCLAIMS LIABILITY FOR ANY INCIDENTAL OR CONSEQUENTIAL DAMAGES.

