



SUN#BEACH#SPF50+ — CPF 4300

Oil-in-Water Sun Cream

At the present time, this prototype formulation is not approved against regulatory requirements that permit compliant use in North America, and therefore not available for sale in the North America Region.

SUN#BEACH#SPF50+ – CPF 4300

Oil-in-Water Sun Cream

| Phase | Trade name / Supplier | INCI name | Wt % |
|-------|--|---|-------------|
| A | Water | Water | 52.90 |
| | SunSpheres™ BIO SPF Booster / Dow | Microcrystalline Cellulose | 2.00 |
| | Zemea / DuPont | 1,3-Propanediol | 2.25 |
| | VERSENE™ NA₂ Crystals / Dow | Disodium EDTA | 0.10 |
| | ACULYN™ 38 Rheology Modifier / Dow | Acrylates / Vinyl Neodecanoate Crosspolymer | 2.00 |
| B | Neo Heliopan HMS / Symrise | Homosalate | 5.00 |
| | Neo Heliopan 357 / Symrise | Butyl Methoxydibenzoylmethane | 4.00 |
| | Tinosorb S / BASF | Bis-Ethylhexyloxyphenol Methoxyphenyl Triazine | 3.00 |
| | Neo Heliopan OS / Symrise | Ethylhexyl Salicylate | 4.00 |
| | Uvinul T 150 / BASF | Ethylhexyl Triazone | 2.00 |
| | Crodamol AB / Croda | C12-15 Alkyl Benzoate | 9.00 |
| | Cetiol B / BASF | Dibutyl Adipate | 2.25 |
| | XIAMETER™ PMX-200 Silicone Fluid, 2 cSt / Dow | Dimethicone | 2.00 |
| | DOWSIL™ FZ-3196 Fluid / Dow | Caprylyl Methicone | 2.00 |
| | Cutina GMS-SE / BASF | Glyceryl Stearate SE | 4.00 |
| C | Sodium Hydroxide, 10% sol. | Sodium Hydroxide | qs |
| D | EPITEX™ 99 Polymer / Dow | Acrylates Copolymer (and) Acrylates/ Polytrimethylsiloxymethacrylate Copolymer | 2.50 |
| E | Neolone PH 100 Preservative / DuPont | Phenoxyethanol | 1.00 |

Processing instructions:

1. Disperse SunSpheres™ BIO SPF Booster in water and mix until dispersed/no clumps (~20 minutes). While mixing, add the phase A ingredients in order listed until homogeneous, then start heating to 75°C.
2. Mix sunscreen ingredients of phase B together and start heating to 80-85°C for 5-10 minutes then add remainder of phase B ingredients one by one. Mix at 70-75°C until all ingredients are melted/dissolved.
3. Add phase B to phase A mixing moderate speed until uniform.
4. Add phase C ingredient if needed (pH target 6,5-7) and start cooling.
5. When T° <40°C, add phase D, then E and mix well (for 2 min at 2000 rpm).
6. Adjust pH to 6,5-7 if needed.

Stability: Stable at least 2 months at RT and at least 1 month at 40°C.

Appearance: Slightly yellow cream

Viscosity: 20.000 cSt

pH: 6,0-7,0

Disclaimer: Contained in this package is a sample prepared as per the formulation described on this card. Any variation in the formulation/procedure may cause performance to change.

At the present time, this prototype formulation is not approved against regulatory requirements that permit compliant use in North America, and therefore not available for sale in the North America Region.

Image: dow_59149368401

NOTICE: No freedom from infringement of any patent owned by Dow or others is to be inferred. Because use conditions and applicable laws may differ from one location to another and may change with time, Customer is responsible for determining whether products and the information in this document are appropriate for Customer's use and for ensuring that Customer's workplace and disposal practices are in compliance with applicable laws and other government enactments. The product shown in this literature may not be available for sale and/or available in all geographies where Dow is represented. The claims made may not have been approved for use in all countries. Dow assumes no obligation or liability for the information in this document. References to "Dow" or the "Company" mean the Dow legal entity selling the products to Customer unless otherwise expressly noted. NO WARRANTIES ARE GIVEN; ALL IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE ARE EXPRESSLY EXCLUDED.

™ Trademark of The Dow Chemical Company ("Dow") or an affiliated company of Dow

© 2021 The Dow Chemical Company. All rights reserved.

2000013944

Form No. 27-2733-01-0921 S2D