



SUN#GLAMOUR#SPF15 — CPF 4315
Water-in-Oil BB Cream

SUN#GLAMOUR#SPF15 – CPF 4315

Water-in-Oil BB Cream

Phase	Trade name / Supplier	INCI name	Wt %
A	DOWSIL™ FA 4004 ID Silicone Acrylate / Dow	Isododecane (and) Acrylates/ Polytrimethylsiloxy methacrylate Copolymer	5.00
	Crodamol AB / Witco Corporation	C12-15 Alkyl Benzoate	2.00
	Avocado Oil	Persea Gratissima (Avocado) Oil	1.00
	Isododecane / Making Cosmetics	Isododecane	4.00
	DOWSIL™ EL-9240 Silicone Elastomer Blend / Dow	Dimethicone (and) Dimethicone Crosspolymer	5.00
	DOWSIL™ FZ-3196 Fluid / Dow	Caprylyl Methicone	2.00
B	DOWSIL™ ES-5600 Silicone Glycerol Emulsifier / Dow	Diglyceryl Tris(trimethylsiloxy)silylethyl Dimethicone	6.50
	ACT96-TRI-77891 / Miyoshi America, Inc.	CI 77891 (and) Disodium Stearoyl Glutamate (and) Aluminum Dimyristate (and) Triethoxycaprylylsilane	2.00
	ACT96-Y-77492 / Miyoshi America, Inc.	CI 77492 (and) Disodium Stearoyl Glutamate (and) Aluminum Dimyristate (and) Triethoxycaprylylsilane	1.00
	ACT96-R-77491 / Miyoshi America, Inc.	CI 77491 (and) Disodium Stearoyl Glutamate (and) Aluminum Dimyristate (and) Triethoxycaprylylsilane	0.20
	ACT96-B-77499 / Miyoshi America, Inc.	CI 77499 (and) Disodium Stearoyl Glutamate (and) Aluminum Dimyristate (and) Triethoxycaprylylsilane	0.05
Parsol TX / DSM	Titanium Dioxide	8.00	
C	Water	Water	55.75
	SunSpheres™ BIO SPF Booster / Dow	Microcrystalline Cellulose	2.00
	GLC 99% / Fisher Scientific	Glycerin	5.00
	DOWANOL EPh Glycol Ether / Azelis	Phenoxyethanol	0.50

Processing instructions:

1. Mix phase A together until homogenous.
2. Mix phase B using a speed mixer until powders are homogenous.
3. Mix phase C together, heat to 40°C. Batch should thicken at this point.
4. Add phase B to phase A.
5. Add phase C to phases A+B slowly with turbulent agitation.
6. Homogenize final product.

Appearance: Brown

Viscosity: 10,000-12,000 cPs

pH: 6,5-7,5

Disclaimer: Contained in this package is a sample prepared as per the formulation described on this card. Any variation in the formulation/procedure may cause performance to change.

Image: AdobeStock_122505864

NOTICE: No freedom from infringement of any patent owned by Dow or others is to be inferred. Because use conditions and applicable laws may differ from one location to another and may change with time, Customer is responsible for determining whether products and the information in this document are appropriate for Customer's use and for ensuring that Customer's workplace and disposal practices are in compliance with applicable laws and other government enactments. The product shown in this literature may not be available for sale and/or available in all geographies where Dow is represented. The claims made may not have been approved for use in all countries. Dow assumes no obligation or liability for the information in this document. References to "Dow" or the "Company" mean the Dow legal entity selling the products to Customer unless otherwise expressly noted. NO WARRANTIES ARE GIVEN; ALL IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE ARE EXPRESSLY EXCLUDED.

®™ Trademark of The Dow Chemical Company ("Dow") or an affiliated company of Dow

© 2020 The Dow Chemical Company. All rights reserved.

2000000038

Form No. 27-2737-01-0320 S2D