



Technical Data Sheet

DOWSIL™ Q1-2333 Chemical Grade Trichlorosilane

Chlorosilane intermediate for siloxane manufacture

Features & Benefits

- High purity

Composition

- Trichlorosilane fluid

Applications

- Reactive intermediate
- Synthesis of silanes and siloxanes

Typical Properties

Specification Writers: These values are not intended for use in preparing specifications.

Test ¹	Property	Unit	Result
CTM 0176	Appearance		Colorless liquid
CTM 1100	Specific Gravity at 25°C (77°F)		1.336
CTM 0042	Boiling Point	°C (°F)	32 (90)
CTM 0021A	Flash Point, closed cup	°C (°F)	-26.1 (-15)
CTM 1100	Viscosity	cSt	0.3
CTM 0625B	HSiCl ₃ Composition	Percent	> 99.5
CTM 1100	SiH as H	ppm	7,380

1. CTMs (Corporate Test Methods) correspond to standard ASTM tests in most instances. Copies of CTMs are available upon request.

Description

DOWSIL™ Q1-2333 Chemical Grade Trichlorosilane has the chemical formula:



with a molecular weight of 135.4.

Responsible Care

Our industry creates products and services that make life better for people around the world – both today and tomorrow. The benefits of our industry are accompanied by enduring commitments to Responsible Care® in the management of chemicals worldwide. We will make continuous progress toward the vision of no accidents, injuries or harm to the environment and will publicly report our global health, safety and environmental performance. We will lead our companies in ethical ways that increasingly benefit society, the economy and the environment while adhering to the Responsible Care® Guiding Principles.

**Handling
Precautions**

PRODUCT SAFETY INFORMATION REQUIRED FOR SAFE USE IS NOT INCLUDED IN THIS DOCUMENT. BEFORE HANDLING, READ PRODUCT AND SAFETY DATA SHEETS AND CONTAINER LABELS FOR SAFE USE, PHYSICAL AND HEALTH HAZARD INFORMATION. THE SAFETY DATA SHEET IS AVAILABLE ON THE DOW WEBSITE AT WWW.CONSUMER.DOW.COM, OR FROM YOUR DOW SALES APPLICATION ENGINEER, OR DISTRIBUTOR, OR BY CALLING DOW CUSTOMER SERVICE.

**Usable Life And
Storage**

DOWSIL Q1-2333 Chemical Grade Trichlorosilane has a shelf life of 60 months from date of manufacture. Refer to product packaging for “Use By” date.

Packaging

DOWSIL Q1-2333 Chemical Grade Trichlorosilane is available in sample containers, small containers and bulk quantities.

Limitations

This product is neither tested nor represented as suitable for medical or pharmaceutical uses.

**Shipping
Limitations**

Ground and ocean transport only; air transport is not permitted.

DOT Hazard Class: 4.3
IMDG Hazard Class: 4.3 :3,8

**Health And
Environmental
Information**

To support customers in their product safety needs, Dow has an extensive Product Stewardship organization and a team of product safety and regulatory compliance specialists available in each area.

For further information, please see our website, www.consumer.dow.com or consult your local Dow representative.

Responsible Care is a registered service mark of the American Chemistry Council.

<http://www.consumer.dow.com>

LIMITED WARRANTY INFORMATION – PLEASE READ CAREFULLY

The information contained herein is offered in good faith and is believed to be accurate. However, because conditions and methods of use of our products are beyond our control, this information should not be used in substitution for customer's tests to ensure that our products are safe, effective, and fully satisfactory for the intended end use. Suggestions of use shall not be taken as inducements to infringe any patent.

Dow's sole warranty is that our products will meet the sales specifications in effect at the time of shipment.

Your exclusive remedy for breach of such warranty is limited to refund of purchase price or replacement of any product shown to be other than as warranted.

TO THE FULLEST EXTENT PERMITTED BY APPLICABLE LAW, DOW SPECIFICALLY DISCLAIMS ANY OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE OR MERCHANTABILITY.

DOW DISCLAIMS LIABILITY FOR ANY INCIDENTAL OR CONSEQUENTIAL DAMAGES.

