



Juicy Lip Cream
CPF 1003721

Juicy Lip Cream

CPF 1003721

Phase	Trade name / Supplier	INCI name	Wt. %
A	DOWSIL™ ES-5612 Formulation Aid / Dow	PEG-10 Dimethicone	3.00
	DOWSIL™ 1686 Resin / Dow	Polyphenylsilsesquioxane	6.00
	DOWSIL™ FA 4004 ID Silicone Acrylate / Dow	Isododecane (and) Acrylates/ Polytrimethylsiloxymethacrylate Copolymer	5.50
	Crodamol™ AB / Croda	C12-15 Alkyl Benzoate	4.50
	DOWSIL™ ES-5600 Silicone Glycerol Emulsifier / Dow	Cetyl Diglyceryl Tris(Trimethylsiloxy)silylethyl Dimethicone	1.00
B	UNIPURE WHITE LC987 / Sensient Technologies	CI 77891 [Titanium Dioxide]	7.27
	UNIPURE RED LC381 / Sensient Technologies	CI 77491 [Iron Oxides]	1.54
	UNIPURE RED LC 3075 / Sensient Technologies	CI 15850 [Red 7 Lake], Aluminum Hydroxide	1.17
	UNIPURE BLUE LC 621 AS / Sensient Technologies	CI 42090 [Blue 1 Lake], Triethoxycaprylsilane	0.02
C	DOWSIL™ EL-8052 DEC IH Silicone Organic Elastomer Blend / Dow	Isohexadecane (and) Dimethicone/ Bis-Isobutyl PPG-20 Crosspolymer	26.50
D	Water	Water/Aqua	37.00
	Glycerin	Glycerin	5.00
	Sodium Chloride	Sodium Chloride	1.00
E	Neolone PH 100 Preservative / LANXESS	Phenoxyethanol	0.50

Procedure:

1. Mix phase A ingredients together.
2. Premix the pigments of phase B together using a specific device for powders (coffee grinder).
3. Add phase B to phase A while mixing (300 RPM) homogeneously.
4. Add phase C to phase AB and mix (300 RPM) until getting a homogeneous dispersion (~10 min).
5. Mix phase D ingredients together..
6. Add phase D to phase ABC slowly under mixing (800-1200 RPM).
7. Add phase E ingredient while stirring.



Image: dow_7390433564

The formulation provided herein is made available by Dow in good faith for your consideration, but without guarantee or warranty (express or implied), as applications, conditions, and applicable regulations, may vary and may change over time. This formulation has been designed solely to illustrate a potential application of Dow's intermediate product and has not been subjected to efficacy, quality, or safety tests; the recipient is responsible for determining whether such formulation is appropriate, applicable and safe for the recipient's specific needs. No freedom from infringement of any patent owned by Dow or others is to be inferred, and suggestions of uses should not be taken as inducement to infringe any particular patent. Dow does not guarantee, implicitly or explicitly, that such formulation is correct, adequate, complete, safe, or fits any specific use, thus assuming no obligation or responsibility arising from the use of such formulation by anyone.

THIS INFORMATION IS OFFERED IN GOOD FAITH FOR YOUR CONSIDERATION, BUT WITHOUT GUARANTEE OR WARRANTY (EXPRESS OR IMPLIED), AS ANALYTICAL CONDITIONS AND METHODS OF USE OF THE INFORMATION AND MATERIALS DESCRIBED HEREIN MAY VARY AND ARE OUT OF DOW'S CONTROL. ALTHOUGH THIS INFORMATION IS BASED ON DATA DOW BELIEVES TO BE RELIABLE AND ACCURATE, DOW DOES NOT INTEND FOR YOU TO USE, AND YOU THEREFORE SHOULD NOT CONSTRUCT, THE CONTENTS OF THIS DOCUMENT AS BUSINESS, TECHNICAL OR ANY OTHER FORM OF ADVICE. Any reference to competitor materials contained in this communication is not an endorsement of those materials by Dow or an endorsement by the competitor of Dow materials. YOU ARE RESPONSIBLE TO DETERMINE THE SUITABILITY OF THE INFORMATION AND MATERIALS DESCRIBED HEREIN BEFORE ADOPTING OR USING THEM ON A COMMERCIAL SCALE. DOW ASSUMES NO LIABILITY IN CONNECTION WITH THE USE OF THIS INFORMATION.

™ Trademark of The Dow Chemical Company ("Dow") or an affiliated company of Dow

© 2025 The Dow Chemical Company. All rights reserved.

2000037740-68900

Form No. 27-3764-01-0125 S2D