



dow.com/submittals/EMEA
dow.com/contactus

IZJAVA O SVOJSTVIMA PROIZVODA

Br. SNF_DOP_005

1. Jedinstveni identifikacijski kod tipa proizvoda:

DOWSIL™ 3363 Insulating Glass Sealant

2. Broj tipa, šarže ili serijski broj ili neka druga oznaka za identifikaciju građevinskog proizvoda prema članku 11. stavku 4:

Na snazi od 30. Lipnja 2013

3. Namjena građevinskog proizvoda sukladno primjenljivim harmoniziranim tehničkim specifikacijama, kako je predvidio proizvođač:

Upotrebljava se prilikom postavljanja izolacijskoga stakla kao strukturalno brtvilo

4. Naziv, upisani trgovački naziv ili upisana marka i kontaktna adresa proizvođača prema članku 11. stavku 5:

**Dow Europe GmbH
Bachtobelstrasse 3
8810 Horgen
Switzerland**

5. Ime i prezime te kontaktna adresa predstavnika koji je ovlašten za izvršenje zadataka prema članku 12. stavku 2:

ND

6. Sustavli sustavi za procjenu i provjeru postojanosti izvedbe građevinskog proizvoda prema privitku V:

Sustav 1+

7. U slučaju izdavanja izjave o izvedbi određenoga građevinskog proizvoda koji je obuhvaćen harmoniziranom normom:

ND

Disclaimer: The information contained in DoP and this presentation is provided in good faith and deemed accurate at the date of publication of this document. Notwithstanding any intended uses specified in this document, due to differing conditions of use, the user remains liable to ensure the Product is suitable for its intended uses and applications and is legally compliant for the same. Therefore, The Dow Chemical Company makes no warranty express or implied regarding the fitness of the Product for any particular purpose. This information should not be construed as legal advice. Sales of the Product remain subject to the applicable terms and conditions of sale. User should refer to the Product Safety Data Sheet any user guidance provided in connection with the use of the Product.

®™ Trademark of The Dow Chemical Company ("Dow") or an affiliated company of Dow
© 2018-2022 The Dow Chemical Company. All rights reserved.

29430

Form No. 62-1886-21-0122 DOW



8. U slučaju izdavanja izjave o izvedbi određenoga građevinskog proizvoda za koji je izdana Europska tehnička ocjena:

Ubatc

izdao je:

BCCA 0749

na temelju:

ETA 13/0359

9. Potvrđena izvedba

Ako se na temelju članaka 37. ili 38. primjenjuje Specifična tehnička dokumentacija, proizvod je sukladan sa zahtjevima u nastavku:

Osnovne Karakteristike	Potvrđena Izvedba	Tehnički Standard
Reakcija na požar	Klasa E	EN ISO 11925-2 : 2011
Specifična masa	1,33	Zadnja inačica ETAG-a
Tvrdoća A	Prosječno 60 Shore A	Zadnja inačica ETAG-a
Naprezanje na vlak	0,21 MPa	Zadnja inačica ETAG-a
Naprezanje na dinamičko smicanje	0,11 MPa	
Modul elastičnosti na vlak (E_0)	4,8 MPa	Zadnja inačica ETAG-a
Modul elastičnosti na smicanje tangencijalno na izvor (G_0)	1,6 MPa	Zadnja inačica ETAG-a
Vrijeme rada (25°C, 50% RV)	10 min	Zadnja inačica ETAG-a
Vrijeme stvrdnjavanja (25°C, 50% RH)	30–45 min	Zadnja inačica ETAG-a
Propusnost vodene pare (EN 1279-4)	18 g/(m ² .h)	EN 1279 - 4
Stopa propusnosti plina	0.46 g/(m ² .h)	EN 1279 - 4
Otpornost na vlak, H-bar (ALU-GL), 23°C–50 RV + 1 d H ₂ O	> 0,70 MPa	Zadnja inačica ETAG-a
Neuspjeh kohezije 100%, H-bar (ALU-GL), 23°C–50 RV	100%	Zadnja inačica ETAG-a

Disclaimer: The information contained in DoP and this presentation is provided in good faith and deemed accurate at the date of publication of this document. Notwithstanding any intended uses specified in this document, due to differing conditions of use, the user remains liable to ensure the Product is suitable for its intended uses and applications and is legally compliant for the same. Therefore, The Dow Chemical Company makes no warranty express or implied regarding the fitness of the Product for any particular purpose. This information should not be construed as legal advice. Sales of the Product remain subject to the applicable terms and conditions of sale. User should refer to the Product Safety Data Sheet any user guidance provided in connection with the use of the Product.

®™ Trademark of The Dow Chemical Company ("Dow") or an affiliated company of Dow
© 2018-2022 The Dow Chemical Company. All rights reserved.

29430

Form No. 62-1886-21-0122 DOW



10. Izvedba proizvoda iz točaka 1 i 2 ispunjava potvrđene izvedbe sukladno točki 9. Izjavu o izvedbi na svoju je odgovornost izdao proizvođač naznačen u točki 4.

Ovu je izjavu za proizvođača i u njegovo ime potpisala:

A handwritten signature in black ink, appearing to read "S. Dath", written over a horizontal line.

Sebastien Dath
High Performance Building AETS Manager EMEA
Sebastien.dath@dow.com

Seneffe, 28. siječnja 2022

Disclaimer: The information contained in DoP and this presentation is provided in good faith and deemed accurate at the date of publication of this document. Notwithstanding any intended uses specified in this document, due to differing conditions of use, the user remains liable to ensure the Product is suitable for its intended uses and applications and is legally compliant for the same. Therefore, The Dow Chemical Company makes no warranty express or implied regarding the fitness of the Product for any particular purpose. This information should not be construed as legal advice. Sales of the Product remain subject to the applicable terms and conditions of sale. User should refer to the Product Safety Data Sheet any user guidance provided in connection with the use of the Product.

®™ Trademark of The Dow Chemical Company ("Dow") or an affiliated company of Dow
© 2018-2022 The Dow Chemical Company. All rights reserved.

29430

Form No. 62-1886-21-0122 DOW