



dow.com/submittalsEMEA
dow.com/contactus

TELJESÍTMÉNYNYILATKOZAT

Sz.: SNF _DOP_005

1. A terméktípus egyedi azonosító kódja:

DOWSIL™ 3363 Insulating Glass Sealant

2. Az építési termék azonosítására szolgáló típus-, tétel- vagy sorozatszám vagy más alapvető adat, amely a 11(4) cikk értelmében szükséges:

Hatályos 2013 június 30-tól

3. Az építési termék rendeltetése vagy rendeltetései az alkalmazandó harmonizált műszaki szabványnak megfelelően, melyet a gyártó ad meg:

Szigetelőüveges alkalmazásoknál, szerkezeti tömítőanyagokhoz használják

4. A gyártó neve, bejegyzett kereskedelmi neve vagy bejegyzett védjegye, valamint értesítési címe, amely a 11(5) cikk értelmében szükséges:

**Dow Europe GmbH
Bachtobelstrasse 3
8810 Horgen
Switzerland**

5. Az adott esetben meghatalmazott képviselő neve és értesítési címe, akinek felhatalmazása a 12(2) cikkben meghatározott feladatokra terjed ki:

n.a.

6. Az építési termék teljesítménye állandóságának értékelésére és ellenőrzésére szolgáló rendszer vagy rendszerek, az V. mellékletben meghatározottak szerint:

1+ rendszer

7. Harmonizált szabvány hatókörébe tartozó építési termékre vonatkozó teljesítménynyilatkozat esetén:

n.a.

Disclaimer: The information contained in DoP and this presentation is provided in good faith and deemed accurate at the date of publication of this document. Notwithstanding any intended uses specified in this document, due to differing conditions of use, the user remains liable to ensure the Product is suitable for its intended uses and applications and is legally compliant for the same. Therefore, The Dow Chemical Company makes no warranty express or implied regarding the fitness of the Product for any particular purpose. This information should not be construed as legal advice. Sales of the Product remain subject to the applicable terms and conditions of sale. User should refer to the Product Safety Data Sheet any user guidance provided in connection with the use of the Product.

®™ Trademark of The Dow Chemical Company ("Dow") or an affiliated company of Dow
© 2018-2022 The Dow Chemical Company. All rights reserved.

29430

Form No. 62-1886-24-0122 DOW



8. Olyan építési termékre vonatkozó teljesítménynyilatkozat esetén, amelyhez Európai Műszaki Értékelést adtak ki:

UBatc

kiadva:

BCCA 0749

a következő alapján:

ETA 13/0359

9. Meghatározott teljesítmény

Ahol a 37. vagy 38. cikk értelmében az egyedi műszaki dokumentációt használták, ott a követelmények, amelyeknek a termék megfelel:

Alapvető Jellemzők	Meghatározott Teljesítmény	Technical Standard
Tűzzel szembeni viselkedés	E osztály	EN ISO 11925-2 : 2011
Fajlagos tömeg	1,33	ETAG utolsó változata
„A” Keménység	Közepes 60 shore A	ETAG utolsó változata
Mértékadó feszültség húzáskor	0,21 MPa	ETAG utolsó változata
Mértékadó feszültség dinamikus nyíraskor	0,11 MPa	ETAG utolsó változata
Rugalmassági modulus húzáskor (E_0)	4,8 MPa	ETAG utolsó változata
Rugalmassági modulus a támadási ponthoz képest érintő irányú nyíraskor (G_0)	1,6 MPa	ETAG utolsó változata
Munkaidő (25°C, 50% REL.PÁRAT.)	10 perc	ETAG utolsó változata
Nem-ragadási idő (25°C, 50%RH)	30-45 perc	ETAG utolsó változata
Vízgőz-áteresztő képesség (EN 1279-4)	18 g/(m ² .h)	EN 1279 - 4
Gázáteresztési sebesség	0.46 g/(m ² .h)	EN 1279 - 4
Szakítószilárdság, I-Tartó (ALU-GL), 23°C-50% REL.PÁRAT. + 1 d H ₂ O	> 0,70 MPa	ETAG utolsó változata
KOH. HIBA 100%, I-Tartó (ALU-GL), 23°C-50% REL.PÁRAT.	100%	ETAG utolsó változata

Disclaimer: The information contained in DoP and this presentation is provided in good faith and deemed accurate at the date of publication of this document. Notwithstanding any intended uses specified in this document, due to differing conditions of use, the user remains liable to ensure the Product is suitable for its intended uses and applications and is legally compliant for the same. Therefore, The Dow Chemical Company makes no warranty express or implied regarding the fitness of the Product for any particular purpose. This information should not be construed as legal advice. Sales of the Product remain subject to the applicable terms and conditions of sale. User should refer to the Product Safety Data Sheet any user guidance provided in connection with the use of the Product.



10. Az 1. és 2. pontban meghatározott termék teljesítménye megfelel a 9. pontban megadott teljesítménynek. A jelen teljesítménynyilatkozatot a 4. pontban meghatározott gyártó kizárólagos felelősségével adják ki.

Aláírta a gyártó helyett és nevében:

Sebastien Dath
High Performance Building AETS Manager EMEA
Sebastien.dath@dow.com

Seneffe, 28. január 2022

Disclaimer: The information contained in DoP and this presentation is provided in good faith and deemed accurate at the date of publication of this document. Notwithstanding any intended uses specified in this document, due to differing conditions of use, the user remains liable to ensure the Product is suitable for its intended uses and applications and is legally compliant for the same. Therefore, The Dow Chemical Company makes no warranty express or implied regarding the fitness of the Product for any particular purpose. This information should not be construed as legal advice. Sales of the Product remain subject to the applicable terms and conditions of sale. User should refer to the Product Safety Data Sheet any user guidance provided in connection with the use of the Product.