



dow.com/submittalsEMEA  
dow.com/contactus

## **DICHIARAZIONE DI PRESTAZIONE No SNF\_DOP\_012**

1. Codice di identificazione unico del prodotto-tipo:

**Sigillante siliconico per sanitari 785 di DOWSIL™**

2. Numero di tipo, lotto, serie o qualsiasi altro elemento che consenta l'identificazione del prodotto da costruzione ai sensi dell'articolo 11, paragrafo 4:

**Numero di lotto: fare riferimento alla confezione del prodotto**

3. Uso o usi previsti del prodotto da costruzione, conformemente alla relativa specifica tecnica armonizzata, come previsto dal fabbricante:

**Sigillante per giunti sanitari: EN-15651-3 - XS**

4. Nome, denominazione commerciale registrata o marchio registrato e indirizzo del fabbricante ai sensi dell'articolo 11, paragrafo 5:

**Dow Europe GmbH  
Bachtobelstrasse 3  
8810 Horgen  
Switzerland**

5. Se opportuno, nome e indirizzo del mandatario il cui mandato copre i compiti cui all'articolo 12, paragrafo 2:

**Non applicabile**

6. Sistema o sistemi di valutazione e verifica della costanza della prestazione del prodotto da costruzione di cui all'allegato V:

**Sistema 3: classificazione di resistenza al fuoco**

**Disclaimer:** The information contained in DoP and this presentation is provided in good faith and deemed accurate at the date of publication of this document. Notwithstanding any intended uses specified in this document, due to differing conditions of use, the user remains liable to ensure the Product is suitable for its intended uses and applications and is legally compliant for the same. Therefore, The Dow Chemical Company makes no warranty express or implied regarding the fitness of the Product for any particular purpose. This information should not be construed as legal advice. Sales of the Product remain subject to the applicable terms and conditions of sale. User should refer to the Product Safety Data Sheet any user guidance provided in connection with the use of the Product.



7. Nel caso di una dichiarazione di prestazione relativa ad un prodotto da costruzione che rientra nell'ambito di applicazione di una norma armonizzata:

**EN 15651-3 e Sistema 3 come classificazione di resistenza al fuoco con rapporto di verifica**

**TECNALIA (NB 1239)**

**Area Anardi n°5**

**20730 AZPEITIA (Guipuzkoa)**

**Spain**

**&**

**LGAI Technological Center, S.A./Applus (NB 0370)**

**Campus UAB s/n**

**Apartado de Correos 18**

**E - 08193 Bellaterra (Barcelona)**

8. Nel caso di una dichiarazione di prestazione relativa ad un prodotto da costruzione per il quale è stata rilasciata una valutazione tecnica europea:

**Non applicabile**

9. Prestazione dichiarata

**Reticolazione: Metodo A (come indicato nella norma ISO 8340)**

**Substrato: vetro (senza primer)**

**alluminio (con o senza primer OS 1200 di DOWSIL™)**

Qualora sia stata usata la documentazione tecnica specifica ai sensi dell'articolo 37 o 38, elenco dei requisiti soddisfatti dal prodotto:

<b>Caratteristiche Essenziali</b>	<b>Prestazione Dichiarata</b>	<b>Normativa</b>
Resistenza al fuoco	Classe E	UNE-EN-ISO 11925-2:2011
Emissione di sostanze chimiche	Nessuno	Fare riferimento alla scheda sulla sicurezza del prodotto
<b>Fattori di tenuta all'acqua e permeabilità all'aria</b>		
Resistenza al flusso – secondo ISO 7390	≤ 3 mm	EN 15651-3
Perdita di volume – secondo ISO 10563	≤ 10%	EN 15651-3
Adesione/coesione con estensione mantenuta dopo immersione in acqua – EN ISO 10590	Nessun problema	EN 15651-3
Crescita microbiologica – secondo EN ISO 846:1997	1	EN 15651-3
Resistenza	Test superato	EN 15651-3

**Disclaimer:** The information contained in DoP and this presentation is provided in good faith and deemed accurate at the date of publication of this document. Notwithstanding any intended uses specified in this document, due to differing conditions of use, the user remains liable to ensure the Product is suitable for its intended uses and applications and is legally compliant for the same. Therefore, The Dow Chemical Company makes no warranty express or implied regarding the fitness of the Product for any particular purpose. This information should not be construed as legal advice. Sales of the Product remain subject to the applicable terms and conditions of sale. User should refer to the Product Safety Data Sheet any user guidance provided in connection with the use of the Product.



10. La prestazione del prodotto di cui ai punti 1 e 2 è conforme alla prestazione dichiarata al punto 9. Si rilascia la presente dichiarazione di prestazione sotto la responsabilità esclusiva del produttore di cui al punto 4.

Firmato a nome e per conto di:

A handwritten signature in black ink, appearing to read "Sébastien Dath".

Sébastien Dath  
High Performance Building AETS Manager EMEA  
Sebastien.dath@dow.com

Seneffe, 28 gennaio 2022

**Disclaimer:** The information contained in DoP and this presentation is provided in good faith and deemed accurate at the date of publication of this document. Notwithstanding any intended uses specified in this document, due to differing conditions of use, the user remains liable to ensure the Product is suitable for its intended uses and applications and is legally compliant for the same. Therefore, The Dow Chemical Company makes no warranty express or implied regarding the fitness of the Product for any particular purpose. This information should not be construed as legal advice. Sales of the Product remain subject to the applicable terms and conditions of sale. User should refer to the Product Safety Data Sheet any user guidance provided in connection with the use of the Product.