



dow.com/submittalsEMEA
dow.com/contactus

TELJESÍTMÉNYNYILATKOZAT

Sz.: SNF _DOP_002

1. A terméktípus egyedi azonosító kódja:

DOWSIL™ 993 szerkezeti üveg-tömítőanyag

2. Az építési termék azonosítására szolgáló típus-, tétel- vagy sorozatszám vagy más alapvető adat, amely a 11(4) cikk értelmében szükséges:

Hatályos 2013 június 30-tól

3. Az építési termék rendeltetése vagy rendeltetései az alkalmazandó harmonizált műszaki szabványnak megfelelően, melyet a gyártó ad meg:

**Szigetelőüveg-tömítőanyag szerkezeti tömítőanyagos
üvegezési rendszerekben való használatra**

4. A gyártó neve, bejegyzett kereskedelmi neve vagy bejegyzett védjegye, valamint értesítési címe, amely a 11(5) cikk értelmében szükséges:

**Dow Europe GmbH
Bachtobelstrasse 3
8810 Horgen
Switzerland**

5. Az adott esetben meghatalmazott képviselő neve és értesítési címe, akinek felhatalmazása a 12(2) cikkben meghatározott feladatokra terjed ki:

n.a.

6. Az építési termék teljesítménye állandóságának értékelésére és ellenőrzésére szolgáló rendszer vagy rendszerek, az V. mellékletben meghatározottak szerint:

1+ rendszer

7. Harmonizált szabvány hatókörébe tartozó építési termékre vonatkozó teljesítménynyilatkozat esetén:

n.a.

Disclaimer: The information contained in DoP and this presentation is provided in good faith and deemed accurate at the date of publication of this document. Notwithstanding any intended uses specified in this document, due to differing conditions of use, the user remains liable to ensure the Product is suitable for its intended uses and applications and is legally compliant for the same. Therefore, The Dow Chemical Company makes no warranty express or implied regarding the fitness of the Product for any particular purpose. This information should not be construed as legal advice. Sales of the Product remain subject to the applicable terms and conditions of sale. User should refer to the Product Safety Data Sheet any user guidance provided in connection with the use of the Product.

®™ Trademark of The Dow Chemical Company ("Dow") or an affiliated company of Dow
© 2018-2022 The Dow Chemical Company. All rights reserved.

29430

Form No. 62-1898-24-0122 S2D



8. Olyan építési termékre vonatkozó teljesítménynyilatkozat esetén, amelyhez Európai Műszaki Értékelést adtak ki:

UBatc

kiadva:

BCCA 0749

a következő alapján:

ETA 01/0005

9. Meghatározott teljesítmény

Alapvető Jellemzők	Meghatározott Teljesítmény	Műszaki szabvány
Tűzzel szembeni viselkedés	E osztály	EN ISO 11925-1 : 2007
Fajlagos tömeg	1,33 (keverési arány 10:1)	ETAG utolsó változata
„A” Keménység	Közepes 36 Shore A	ETAG utolsó változata
Mértékadó feszültség húzáskor	0,14 MPa	ETAG utolsó változata
Mértékadó feszültség dinamikus nyíráskor	0,11 MPa	ETAG utolsó változata
Mértékadó feszültség statikus nyíráskor	0,11 MPa	ETAG utolsó változata
Rugalmassági modulus húzáskor (E_0)	1,4 MPa	ETAG utolsó változata
Rugalmassági modulus a támadási ponthoz képest érintő irányú nyíráskor (G_0)	0,47 MPa	ETAG utolsó változata
Munkaidő (25°C, 50% REL.PÁRAT.)	10–30 perc	ETAG utolsó változata
Nem-ragadási idő (25°C, 50% REL.PÁRAT.)	80–100 perc	ETAG utolsó változata
Szakítószilárdság, I-tartó (ALU-GL), 23°C-50% REL.PÁRAT. + 1 d H ₂ O	> 0,70 MPa	ETAG utolsó változata
KOH. hiba 100%, I-Tartó (ALU-GL), 23°C-50% REL.PÁRAT.	100%	ETAG utolsó változata

Disclaimer: The information contained in DoP and this presentation is provided in good faith and deemed accurate at the date of publication of this document. Notwithstanding any intended uses specified in this document, due to differing conditions of use, the user remains liable to ensure the Product is suitable for its intended uses and applications and is legally compliant for the same. Therefore, The Dow Chemical Company makes no warranty express or implied regarding the fitness of the Product for any particular purpose. This information should not be construed as legal advice. Sales of the Product remain subject to the applicable terms and conditions of sale. User should refer to the Product Safety Data Sheet any user guidance provided in connection with the use of the Product.



10. Az 1. és 2. pontban meghatározott termék teljesítménye megfelel a 9. pontban megadott teljesítménynek. A jelen teljesítménynyilatkozatot a 4. pontban meghatározott gyártó kizárólagos felelősségével adták ki.

Aláírta a gyártó helyett és nevében:

Sebastien Dath
High Performance Building AETS Manager EMEA
Sebastien.dath@dow.com

Seneffe, 2022. január 28

Disclaimer: The information contained in DoP and this presentation is provided in good faith and deemed accurate at the date of publication of this document. Notwithstanding any intended uses specified in this document, due to differing conditions of use, the user remains liable to ensure the Product is suitable for its intended uses and applications and is legally compliant for the same. Therefore, The Dow Chemical Company makes no warranty express or implied regarding the fitness of the Product for any particular purpose. This information should not be construed as legal advice. Sales of the Product remain subject to the applicable terms and conditions of sale. User should refer to the Product Safety Data Sheet any user guidance provided in connection with the use of the Product.

®™ Trademark of The Dow Chemical Company ("Dow") or an affiliated company of Dow
© 2018-2022 The Dow Chemical Company. All rights reserved.

29430

Form No. 62-1898-24-0122 S2D