



February 1, 2021

Attention: Dow Silicones Corporation Customer

Re: **DOWSIL™ 902 RCS Joint Sealant, Charcoal**

Thank you for your inquiry regarding review of the above-referenced product and the International Living Future Institute's Red List (LBC-Red-List-CASRN-Guide-2021).

DOWSIL™ 902 RCS Joint Sealant, Charcoal is not intentionally formulated with any of the following Red List materials or compounds and does have VOC levels below the required SCAQMD Rule 1168 VOC limit per its Table 1 requirements (last amended 10-6-17).

- Alkylphenols and related compounds
- Antimicrobials (marketed with a health claim)
- Arsenic
- Asbestos and related compounds
- Bisphenol A (BPA) and structural analogues
- Cadmium
- California-banned solvents (formerly in Volatile Organic Compounds (VOC) (wet-applied products))
- Chlorinated Polyethylene & Chlorosulfonated Polyethylene
- Chlorinated polymers
- Chlorinated Polyvinyl Chloride (CPVC)
- Chlorobenzenes
- Chlorofluorocarbons (CFCs) and Hydrochlorofluorocarbons (HCFCs)
- Chloroprene (Neoprene)
- Chromium (VI)
- Formaldehyde (added)
- Lead (added)
- Mercury
- Monomeric, polymeric and organophosphate halogenated flame retardants (HFRs)
- Organotin compounds
- Perfluorinated and Polyfluorinated Alkyl Substances (PFAS) / Perfluorinated Compounds (PFCs)
- Phthalates (Orthophthalates)
- Polychlorinated Biphenyls (PCBs)
- Polycyclic aromatic hydrocarbons (PAHs)
- Polyvinyl Chloride (PVC)
- Polyvinylidene Chloride (PVDC)
- Short-chain and medium-chain chlorinated paraffins
- Toxic heavy metals
- Volatile Organic Compounds (VOCs) in wet applied products
- Wood treatments containing Creosote or Pentachlorophenol



This information is provided in good faith and is believed to be accurate as of the date of this letter based on a review of current composition and information supplied by vendors. No warranty is expressed or implied. Liability is expressly disclaimed.

On behalf of Dow, we appreciate your business and your commitment to silicone technology. If you have any further questions, please feel free to contact us.

Sincerely,

Dow Silicones Corporation  
Technical Customer Service, Construction  
+1 800 248 2481 Option 1  
[na.info@dow.com](mailto:na.info@dow.com)

DOW HIGH PERFORMANCE BUILDING SOLUTIONS  
*Imagine the Possibilities*  
[dow.com/construction](http://dow.com/construction)

63-6774-01-0221



®™ Trademark of The Dow Chemical Company ("Dow") or an affiliated company of Dow  
©2021 The Dow Chemical Company. All rights reserved.

NOTICE: No freedom from infringement of any patent owned by Dow or others is to be inferred. Because use conditions and applicable laws may differ from one location to another and may change with time, Customer is responsible for determining whether products and the information in this document are appropriate for Customer's use and for ensuring that Customer's workplace and disposal practices are in compliance with applicable laws and other government enactments. The product shown in this literature may not be available for sale and/or available in all geographies where Dow is represented. The claims made may not have been approved for use in all countries. Dow assumes no obligation or liability for the information in this document. References to "Dow" or the "Company" mean the Dow legal entity selling the products to Customer unless otherwise expressly noted. NO WARRANTIES ARE GIVEN; ALL IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE ARE EXPRESSLY EXCLUDED.