



# Application for Dow performance warranties

## Type of warranty and products used

(Please check the product used under the warranty type)

Weatherseal warranty	
	DOWSIL™ 756 SMS Building Sealant
	DOWSIL™ 758 Silicone Weather Barrier Sealant
	DOWSIL™ 778 Silicone Liquid Flashing
	DOWSIL™ 790 Silicone Building Sealant
	DOWSIL™ 791 Silicone Weatherproofing Sealant
	DOWSIL™ 795 Silicone Building Sealant
	DOWSIL™ 995 Silicone Structural Sealant
	DOWSIL™ Contractors Weatherproofing Sealant
	DOWSIL™ Contractors Concrete Sealant
	DOWSIL™ 121 Structural Glazing Sealant

DOWSIL™ 123 Silicone Seal System	
	DOWSIL™ 123 Silicone Seal with (must select)
	DOWSIL™ 791 Silicone Weatherproofing Sealant
<b>OR</b>	
	DOWSIL™ 795 Silicone Building Sealant
<b>AND MAY ALSO INCLUDE</b>	
	DOWSIL™ AllGuard Silicone Elastomeric Coating (REQUIRED: square footage covered and amounts used)
	Sq. feet
	#Pails/gal.
	Surface type

Structural adhesive warranty	
	DOWSIL™ 795 Silicone Building Sealant
	DOWSIL™ 983 Structural Glazing Sealant
	DOWSIL™ 995 Silicone Structural Sealant
	DOWSIL™ 121 Structural Glazing Sealant

Parking structure warranty	
	DOWSIL™ FC Parking Structure Sealant
	DOWSIL™ NS Parking Structure Sealant
	DOWSIL™ SL Parking Structure Sealant

DOWSIL™ Silicone Air Barrier System	
	DOWSIL™ DefendAir 200C (REQUIRED: square footage covered and amounts used)
Sq. feet	#Pails/gal.
	DOWSIL™ Silicone Transition System
	DOWSIL™ 758 Silicone Weather Barrier Sealant
	DOWSIL™ 778 Silicone Liquid Flashing
	DOWSIL™ 791 Silicone Weatherproofing Sealant
	DOWSIL™ 795 Silicone Building Sealant

General product warranty	
	DOWSIL™ 786 Silicone Sealant
	DOWSIL™ 791 Silicone Weatherproofing Sealant
	DOWSIL™ 795 Silicone Building Sealant
	DOWSIL™ 995 Silicone Structural Sealant
	DOWSIL™ 999A Silicone Building & Glazing Sealant
	DOWSIL™ Contractors Paintable Sealant
	DOWSIL™ Tub, Tile & Ceramic Silicone Sealant

DOWSIL™ DefendAir 200C	
	DOWSIL™ DefendAir 200C (REQUIRED: square footage covered and amounts used)
Sq. feet	#Pails/gal.

DOWSIL™ AllGuard Coating warranty	
	DOWSIL™ AllGuard Silicone Elastomeric Coating (REQUIRED: square footage covered and amounts used)
Sq. feet	#Pails/gal.
Surface type	



<b>Project identification</b>		Request date:
Project name:		
Job name:		
Street address:		
City:	State/Province:	Postal code:

<b>Name of the building owner to be on the warranty</b>		
Contact name:	Phone:	
Email:	Fax:	
Company name:		
Street address:		
City:	State/Province:	Postal code:
Company website:		

**Contractor certification**

The warranty applicant (contractor /applicator) attests that the products to be covered in the Dow Limited Warranty were installed on the referenced project according to Dow requirements set forth in Dow’s published of electronic literature and further certifies that only DOWSIL™ products have been used for the structural/weatherseal applications.

<b>Send copy of the warranty to:</b>		
Contact/Applicator name:	Phone:	
Email:	Fax:	
Company name:		
Street address:		
City:	State/Province:	Postal code:
Company website:		

<b>DOWSIL™ products were purchased and certified by the following distributor</b>		
Contact name:	Phone:	
Email:	Fax:	
Company name:		
Street address:		
City:	State/Province:	Postal code:
Company website:		

Has Dow or its Authorized Distributor been fully paid for the products used?  
 Yes                      No

**Project identification**

Start date:	(Required) Completion date of sealant installation:
Term of warranty (in years):	
New or Restoration:	
Façade square footage sealed total:	North:                  South:                  East:                  West:
Surface type:	

**Joint type**

Weatherseal	Structural	123	Cap Bead
Expansion	Perimeter	Spandrel	Other
Joint size (width x depth):		Linear feet:	

**DOWSIL™ products used**

Sealant/AllGuard Coating*/Primer	Color	Quantity*

\*If DOWSIL™ AllGuard or DOWSIL™ DefendAir 200C was used, you are required to list the total square footage and number of pails or gallons used.

## Additional requirements for the structural adhesion limited warranty

### Check all Dow requirements that have been met

Blueprint review

Lab adhesion testing

Lab compatibility testing

### For faster processing of your warranty application, please email or fax all of the following letters with your completed form

- Blueprint review letters
- Adhesion testing recommendation letters
- Compatibility testing recommendation letters sent by Dow

Please attach any additional information you feel is appropriate for this project (photos, consultant reviews. ect.)

### When the form is completed, email or fax this form and other documents to:

ATTENTION: Dow - Construction warranty

Email: [construction.warranty@dow.com](mailto:construction.warranty@dow.com)

Fax: +1 989 496 3295

---

NOTICE: No freedom from infringement of any patent owned by Dow or others is to be inferred. Because use conditions and applicable laws may differ from one location to another and may change with time, Customer is responsible for determining whether products and the information in this document are appropriate for Customer's use and for ensuring that Customer's workplace and disposal practices are in compliance with applicable laws and other government enactments. The product shown in this literature may not be available for sale and/or available in all geographies where Dow is represented. The claims made may not have been approved for use in all countries. Dow assumes no obligation or liability for the information in this document. References to "Dow" or the "Company" mean the Dow legal entity selling the products to Customer unless otherwise expressly noted. NO WARRANTIES ARE GIVEN; ALL IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE ARE EXPRESSLY EXCLUDED.

®™ Trademark of The Dow Chemical Company ("Dow") or an affiliated company of Dow

© 2021 The Dow Chemical Company. All rights reserved.

2000009748

Form No. 62-535-01-0321 S2D