



- DEFENDAIR™ 200C AIR AND WEATHER BARRIER COATING
- CONTINUOUS DOWSIL™ 791 SILICONE WEATHERPROOFING SEALANT FILLET BEAD IN CORNER AT TOP AND SIDES OF BOX TO SUPPORT APPLICATION OF DEFENDAIR™ 200C AIR AND WEATHER BARRIER COATING, SEALANT TO HAVE MIN. ¼" BITE ONTO SUBSTRATES
- DEFENDAIR™ 200C AIR AND WEATHER BARRIER COATING LAPPED ONTO BOX, TOP & SIDES, AND ONTO FIELD LAYER DEFENDAIR™ 200C AIR AND WEATHER BARRIER COATING
- ELECTRICAL BOX/FIXTURE
- DOWSIL™ 791 SILICONE WEATHERPROOFING SEALANT AT WIRE PENETRATION
- DOWSIL™ 791 SILICONE WEATHERPROOFING SEALANT AROUND JOINTS, TYP.
- FOIL FACED SELF ADHERING MEMBRANE (S.A.M.) TARGET FLASHING
- EXTERIOR CLADDING ASSEMBLY BY OTHER

ANY COMMENTS, MARK-UP TO DESIGN DETAILS, OR ILLUSTRATIONS ARE PROVIDED TO SUGGEST HOW DOW SILICONES' BUILD A BETTER BARRIER PRODUCTS MAY BE INCORPORATED INTO A PROJECT. DOW SILICONES DOES NOT OFFER DESIGN SERVICES. ALL INFORMATION AND ILLUSTRATIONS ARE PROVIDED ON AN "AS-IS" BASIS WITHOUT ANY WARRANTY WHATSOEVER, INCLUDING ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

01

DETAIL SECTION:
MTL. STUD WALL W/ ELECTRIC BOX
 SCALE: 3"=1'-0"

61-8063-01 D



DOWSIL™ AIR AND WEATHER BARRIER SYSTEMS

DRAWING NO.	38
DATE	11/1/2019