



dow.com/submittalsEMEA  
dow.com/contactus

## **TELJESÍTMÉNYNYILATKOZAT**

### **Sz.: SNF \_DOP\_001**

1. A terméktípus egyedi azonosító kódja:

**DOWSIL™ 895 szerkezeti üveg-tömítőanyag**

2. Az építési termék azonosítására szolgáló típus-, tétel- vagy sorozatszám vagy más alapvető adat, amely a 11(4) cikk értelmében szükséges:

**Hatályos 2014. február 19-től**

3. Az építési termék rendeltetése vagy rendeltetései az alkalmazandó harmonizált műszaki szabványnak megfelelően, melyet a gyártó ad meg:

**Szerkezeti tömítőanyag üvegezési rendszerekhez**

4. A gyártó neve, bejegyzett kereskedelmi neve vagy bejegyzett védjegye, valamint értesítési címe, amely a 11(5) cikk értelmében szükséges:

**Dow Europe GmbH  
Bachtobelstrasse 3  
8810 Horgen  
Switzerland**

5. Az adott esetben meghatalmazott képviselő neve és értesítési címe, akinek felhatalmazása a 12(2) cikkben meghatározott feladatokra terjed ki:

**n.a.**

6. Az építési termék teljesítménye állandóságának értékelésére és ellenőrzésére szolgáló rendszer vagy rendszerek, az V. mellékletben meghatározottak szerint:

**1+ rendszer**

7. Harmonizált szabvány hatókörébe tartozó építési termékre vonatkozó teljesítménynyilatkozat esetén:

**n.a.**

**Disclaimer:** The information contained in DoP and this presentation is provided in good faith and deemed accurate at the date of publication of this document. Notwithstanding any intended uses specified in this document, due to differing conditions of use, the user remains liable to ensure the Product is suitable for its intended uses and applications and is legally compliant for the same. Therefore, The Dow Chemical Company makes no warranty express or implied regarding the fitness of the Product for any particular purpose. This information should not be construed as legal advice. Sales of the Product remain subject to the applicable terms and conditions of sale. User should refer to the Product Safety Data Sheet any user guidance provided in connection with the use of the Product.



8. Olyan építési termékre vonatkozó teljesítménynyilatkozat esetén, amelyhez Európai Műszaki Értékelést adtak ki:

**UBatc**

kiadva:

**BCCA 0749**

a következő alapján:

**ETA 01/0005**

9. Meghatározott teljesítmény

<b>Alapvető Jellemzők</b>	<b>Meghatározott Teljesítmény</b>	<b>Műszaki szabvány</b>
Fajlagos tömeg	1,45	ETAG utolsó változata
„A” Keménység	Közepes 33 Shore A	ETAG utolsó változata
Mértékadó feszültség húzáskor	0,14 MPa	ETAG utolsó változata
Mértékadó feszültség dinamikus nyírásakor	0,14 MPa	ETAG utolsó változata
Rugalmassági modulus húzáskor (E0)	0,9 MPa	ETAG utolsó változata
Rugalmassági modulus a támadási ponthoz képest érintő irányú nyírásakor (G0)	0,3 MPa	ETAG utolsó változata
Munkaidő (25°C, 50% REL.PÁRAT.)	15 perc	ETAG utolsó változata
Hegesedési idő (25°C, 50% REL.PÁRAT.)	15 perc	ETAG utolsó változata
Nem-ragadási idő (25°C, 50% REL.PÁRAT.)	30–50 perc	ETAG utolsó változata
A ragasztott keret szállítása előtt eltelt idő	Min. 21 nap	ETAG utolsó változata
Szakítószilárdság, I-tartó (ALU-GL), 23°C-50% REL.PÁRAT. + 1 d H <sub>2</sub> O	> 0,70 MPa	ETAG utolsó változata
KOH. hiba 100%, I-Tartó (ALU-GL), 23 °C-50% REL.PÁRAT.	100%	ETAG utolsó változata

**Disclaimer:** The information contained in DoP and this presentation is provided in good faith and deemed accurate at the date of publication of this document. Notwithstanding any intended uses specified in this document, due to differing conditions of use, the user remains liable to ensure the Product is suitable for its intended uses and applications and is legally compliant for the same. Therefore, The Dow Chemical Company makes no warranty express or implied regarding the fitness of the Product for any particular purpose. This information should not be construed as legal advice. Sales of the Product remain subject to the applicable terms and conditions of sale. User should refer to the Product Safety Data Sheet any user guidance provided in connection with the use of the Product.



10. Az 1. és 2. pontban meghatározott termék teljesítménye megfelel a 9. pontban megadott teljesítménynek. A jelen teljesítménynyilatkozatot a 4. pontban meghatározott gyártó kizárólagos felelősségével adták ki.

Aláírta a gyártó helyett és nevében:

A handwritten signature in black ink, appearing to read "S. Dath", written over a horizontal line.

Sebastien Dath  
High Performance Building AETS Manager EMEA  
Sebastien.dath@dow.com

Seneffe, 2022. január 28

**Disclaimer:** The information contained in DoP and this presentation is provided in good faith and deemed accurate at the date of publication of this document. Notwithstanding any intended uses specified in this document, due to differing conditions of use, the user remains liable to ensure the Product is suitable for its intended uses and applications and is legally compliant for the same. Therefore, The Dow Chemical Company makes no warranty express or implied regarding the fitness of the Product for any particular purpose. This information should not be construed as legal advice. Sales of the Product remain subject to the applicable terms and conditions of sale. User should refer to the Product Safety Data Sheet any user guidance provided in connection with the use of the Product.